



Issuing Date Mar-23-2015

Revision Date Dec-15-2016

Safety Data Sheet

OSHA format

Revision Number 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name IRON REAGENT 1

Other means of identification

Product Code(s) 4450

UN-No 2796

Recommended use of the chemical and restrictions on use

Recommended Use Use as a laboratory reagent. Laboratory chemicals. Industrial (not for food or food contact use).

Details of the supplier of the safety data sheet

Manufacturer Address

LaMotte Company, Inc.
802 Washington Avenue
P.O. Box 329
Chestertown, MD 21620 USA
T 410-778-3100
F 410-778-9748

Emergency telephone numbers

(CHEM-TEL):USA, Canada, Puerto Rico 1-800-255-3924 Outside North American Continent (Call collect) 813-248-0585

2. HAZARDS IDENTIFICATION

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

EMERGENCY OVERVIEW**DANGER****Hazard statements**

Causes severe skin burns and eye damage.



Appearance Clear, colorless

Physical state liquid

Odor Odorless

Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not taste or swallow. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling.

Response: Immediately call a poison center or physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Storage:

Store locked up.

Disposal:

Dispose of contents/container to an approved waste disposal plant.

3. COMPOSITION/INFORMATION ON INGREDIENTS*

Chemical name	CAS No.	Weight-%
Sulfuric acid	7664-93-9	4.8

4. FIRST AID MEASURES**First Aid Measures****General advice**

Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapors/spray.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.

Skin contact

Wash off immediately with soap and plenty of water for at least 15 minutes. Take off contaminated clothing and wash before reuse. Call a physician immediately.

Inhalation	Remove to fresh air. If symptoms persist, call a physician.
Ingestion	Do NOT induce vomiting. Drink plenty of water. Call a physician immediately. Never give anything by mouth to an unconscious person.
<u>Self-protection of the first aider</u>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protection recommended in Section 8.

5. FIREFIGHTING MEASURES

Suitable extinguishing media

Dry chemical or CO₂. DO NOT USE WATER.

Specific hazards arising from the chemical

React vigorously with water.

Hazardous combustion products

Contact with metals may evolve flammable hydrogen gas.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Avoid contact with skin, eyes, and inhalation of vapors. Use personal protective equipment. See section 8.
Environmental precautions	See Section 12 for additional Ecological Information. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Methods and material for containment and cleaning up

Methods for containment	Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).
Methods for cleaning up	Neutralize spill with alkaline material (sodium bicarbonate), being careful to prevent splattering, then containerize slurry and hold for later disposal. If local regulations permit, dilute slurry with water and rinse to drain with excess water. After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling	Handle in accordance with good industrial hygiene and safety practice. Prevent contact with skin, eyes, and clothing. Do not taste or swallow. Do not eat, drink, or smoke when using this product.
-----------------	---

Conditions for safe storage, including any incompatibilities

Storage:	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from incompatible materials such as cyanides or sulfides. Store away from strong bases or metals. Do not store near combustible materials. Keep out of the reach of children.
Incompatible Products	Water. Strong bases. Metals. Combustible materials. Cyanides. Sulfides. Formaldehyde.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Control parameters**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sulfuric acid 7664-93-9	TWA: 0.2 mg/m ³ thoracic fraction	TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³	IDLH: 15 mg/m ³ TWA: 1 mg/m ³

Appropriate engineering controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves/clothing.

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Physical state	liquid	Odor	Odorless
Appearance	Clear, colorless		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	1	
Melting point / freezing point	No information available	
Boiling point / boiling range	No information available	
Flash point	Not Applicable	
Evaporation rate		
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Specific gravity	No information available	
Water solubility	No information available	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	

Other Information

Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Density	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions of use and storage.
Hazardous Reactions	Reacts violently with water. Contact with metals may evolve flammable hydrogen gas.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Excessive heat. Incompatible products. Direct sunlight.
Incompatible materials	Water. Strong bases. Metals. Combustible materials. Cyanides. Sulfides. Formaldehyde.
Hazardous decomposition products	Hydrogen gas. Sulfur oxides (SOx).

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure****Component identification**

Chemical name	ATEmix (oral)	ATEmix (dermal)	Inhalation LC50
Sulfuric acid 7664-93-9	= 2140 mg/kg (Rat)	Not Established	= 510 mg/m ³ (Rat) 2 h

Information on toxicological effects

Chemical name	ACGIH	IARC	NTP	OSHA
Sulfuric acid 7664-93-9	Not Established	Group 1	Known	Not Established

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Chronic toxicity Chronic exposure to corrosive mists or vapors may cause erosion of the teeth. Chronic exposure to mists containing sulfuric acid is a cancer hazard.

ATEmix (oral) 44,583.00 mg/kg

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Chemical name	Toxicity to Algae	Toxicity to Fish	Daphnia Magna (Water Flea)
Sulfuric acid 7664-93-9	Not Established	500: 96 h Brachydanio rerio mg/L LC50 static	29: 24 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation/Accumulation

When released into the soil, this material may leach into ground water. When released into the air, this material may be removed from the atmosphere to a moderate extent by wet or dry deposition.

Chemical name	Log Pow
Sulfuric acid 7664-93-9	Not Established

13. DISPOSAL CONSIDERATIONS

Disposal Methods Dispose according to federal, state, and local regulations. If permitted, neutralize reagent

with sodium bicarbonate/sodium carbonate, add slurry to large volume of water to dilute, rinse to drain with excess water.

Contaminated packaging

Do not reuse empty containers.

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Sulfuric acid 7664-93-9	Not Established	-	Not Established	Not Established

Chemical name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Sulfuric acid 7664-93-9	Not Established	Not Established	Not Established	Not Established

Chemical name	California Hazardous Waste Status
Sulfuric acid 7664-93-9	Toxic Corrosive

14. TRANSPORT INFORMATION

DOT

Proper shipping name SULPHURIC ACID
 UN-No 2796
 Hazard Class 8
 Packing group II
 Reportable Quantity (RQ) 1000

TDG

Not regulated

MEX

Not regulated

ICAO

Not regulated

IATA

UN-No 2796
 Proper shipping name SULPHURIC ACID (<51% ACID)
 Hazard Class 8
 Packing group II

IMDG/IMO

UN-No 2796
 Proper shipping name SULPHURIC ACID (<51% ACID)
 Hazard Class 8
 Packing group II

RID

UN-No 2796
 Proper shipping name SULPHURIC ACID (<51% ACID)
 Hazard Class 8
 Packing group II

ADR

UN-No 2796
 Proper shipping name SULPHURIC ACID (<51% ACID)
 Hazard Class 8
 Packing group II

ADN

Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL/NDL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Sulfuric acid 7664-93-9	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	Yes

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric acid 7664-93-9	1000 lb	Not Established	Not Established	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	RQ
Sulfuric acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

US State Regulations

California Proposition 65 has classified "strong inorganic acid mists containing sulfuric acid" as a chemical known to the State of California to cause cancer. This classification applies only to occupational exposures to these mists generated during manufacturing processes which sulfuric acid is used or produced.

Chemical name	California Proposition 65
Sulfuric acid 7664-93-9	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sulfuric acid 7664-93-9	X	X	X

CPSC (Consumer Product Safety Commission) - Specially Regulated Substances

Chemical name	CPSC (Consumer Product Safety Commission) - Specially Regulated Substances
Sulfuric acid 7664-93-9	Add POISON to label, 16 CFR 1500.129
16. OTHER INFORMATION	

NFPA

Health hazard 3

Flammability 0

Instability 0

Physical and Chemical
Hazards W

Health hazard 3

Flammability 0

Stability 1



Health Hazard	3
Fire Hazard	0
Reactivity	1

Prepared by
Issuing Date
Revision Date
Reason for revision
Disclaimer

Regulatory Affairs Department
Mar-23-2015
Dec-15-2016
New GHS format

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet