

SAFETY DATA SHEET

1. Identification

Product identifier Safetec® Sting Relief - Spray

Other means of identificationNot available.Recommended useNot available.Recommended restrictionsNone known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Manufacturer: Safetec of America, Inc.

887 Kensington Avenue

Buffalo, NY 14215

Company Telephone: 1-716-895-1822
E-mail Address: www.safetec.com
Emergency Telephone: 1-800-255-3924
Supplier Refer to Manufacturer

2. Hazard(s) identification

Physical hazardsFlammable liquidsCategory 3Health hazardsSerious eye damage/eye irritationCategory 2A

Specific target organ toxicity, single exposure Category 3 narcotic effects

Environmental hazards

This mixture does not meet the classification criteria according to OSHA HazCom 2012.

OSHA defined hazards

This mixture does not meet the classification criteria according to OSHA HazCom 2012.

Label elements



Signal word Danger

Hazard statement Flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and

receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapor. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Response If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get

medical advice/attention. In case of fire: Use appropriate media for extinction.

Storage Keep cool. Store in a well-ventilated place. Keep container tightly closed.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Ethanol	Alcohol Ethyl Alcohol	64-17-5	52.5

Material name: Safetec® Sting Relief - Spray 2139 Version #: 01 Issue date: 01-29-2015

Chemical name	Common name and synonyms	CAS number	%
Lidocaine		6108-05-0	2
Menthol		2216-51-5	0.5

4. First-aid measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention if symptoms persist.

Skin contact Wash off with warm water and soap. Get medical attention if symptoms occur.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and Eye contact

easy to do. Continue rinsing. Get medical attention if symptoms persist.

If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting Ingestion

without advice from poison control center. Get medical attention.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Causes serious eye irritation. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. May cause drowsiness or dizziness.

Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media Specific hazards arising from

the chemical

Do not use water jet as an extinguisher, as this will spread the fire.

Dry chemicals. Foam. Carbon dioxide (CO2).

The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. Thermal decomposition or combustion may liberate toxic gases or fumes.

Special protective equipment

and precautions for firefighters Fire fighting

Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

equipment/instructions

General fire hazards

Flammable liquid and vapor.

Hazardous combustion

products

Carbon oxides. Nitrogen oxides (NOx). Halogenated compounds.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep unnecessary personnel away. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Absorb spill with vermiculite or other inert material, then place in a sealed container for chemical waste.

Large Spills: Flush with plenty of water. Prevent entry into waterways, sewer, basements or confined areas. Dike for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Eliminate all sources of ignition. Take precautionary measures against static discharges. Ground/bond container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities Do not store around flammable or combustible materials. Store in tightly closed original container in a well-ventilated place. Keep cool. Store locked up.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components Value 1900 mg/m3 Ethanol (CAS 64-17-5) PFI 1000 ppm **US. ACGIH Threshold Limit Values** Components Value Type Ethanol (CAS 64-17-5) STEL 1000 ppm

US. NIOSH: Pocket Guide to Chemical Hazards Value Components Type

Ethanol (CAS 64-17-5) TWA 1900 mg/m3 1000 ppm

No biological exposure limits noted for the ingredient(s). **Biological limit values** Appropriate engineering Explosion-proof general and local exhaust ventilation. controls

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Chemical resistant gloves recommended. Hand protection

Other Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of

exposure. Contact health or safety professional or manufacturer for specific information.

If engineering controls do not maintain airborne concentrations below recommended exposure Respiratory protection

> limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Contact health and safety professional or

manufacturer for specific information.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material General hygiene and before eating, drinking, and/or smoking. Routinely wash work clothing and protective considerations

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Liquid. Physical state Liquid. Liquid. **Form** Colorless. Color Odor Antiseptic odor. Not available. Odor threshold 4.3 approximately

Melting point/freezing point Not available.

Initial boiling point and boiling

range

Flash point **Evaporation rate** 173 °F (78.33 °C) (Based on Ethanol)

60.3 °F (15.7 °C) Not available. Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

3.3 %

Flammability limit - upper

19 %

Not available. **Explosive limit - lower (%)** Explosive limit - upper (%) Not available.

Not available. Vapor pressure

Not available. Vapor density Relative density Not available.

Solubility(ies)

Complete. Solubility (water) Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition** temperature **Decomposition** temperature Not available. Not available. Viscosity

Other information

Specific gravity 0.92

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Keep away from heat, sparks and open flame. High temperatures.

Incompatible materials Strong oxidizing agents. Acids.

Hazardous decomposition

products

delayed

Carbon oxides. Nitrogen oxides (NOx). Halogenated compounds.

11. Toxicological information

Information on likely routes of exposure

May cause drowsiness or dizziness. Inhalation

Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. Skin contact

Causes serious eye irritation. Eye contact

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion

Most important

symptoms/effects, acute and

Causes serious eye irritation. Frequent or prolonged contact may defat and dry the skin, leading to

discomfort and dermatitis. May cause drowsiness or dizziness.

Information on toxicological effects

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. **Acute toxicity**

Components **Species Test Results**

Ethanol (CAS 64-17-5)

Acute

Dermal

LD50 Rabbit > 15800 mg/kg

Inhalation

LC50 Rat > 32380 ppm, 4 hours (vapor)

> 61 mg/l, 4 hours (vapor)

Oral

LD50 Rat 7060 mg/kg

Lidocaine (CAS 6108-05-0)

Acute

Oral

LD50 292 mg/kg Mouse

Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization This product is not expected to cause respiratory sensitization. **Skin sensitizer** This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive effects.

Specific target organ toxicity -

single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity -

repeated exposure

Not classified as a specific target organ toxicity -repeated exposure.

Aspiration toxicity Not expected to be an aspiration hazard.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous.

Components **Species Test Results** Ethanol (CAS 64-17-5) Aquatic Acute EC50 Green algae (Selenastrum Algae 1000 mg/l, 96 hours capricornutum) Crustacea EC50 Water flea (Daphnia magna) 5012 mg/l, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

Ethanol -0.31

Mobility in soil Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulationsDispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN number UN1170

UN proper shipping name Ethanol solution (Ethanol RQ = 190 LBS)

Transport hazard class(es)

Class 3
Subsidiary risk Label(s) 3
Packing group III

Special precautions for user Not available. **Special provisions** 24, B1, IB3, T2, TP1

Packaging exceptions 4b, 150
Packaging non bulk 203

Packaging bulk 242

IATA

UN1170 **UN** number

UN proper shipping name Ethanol Solution (Ethanol)

Transport hazard class(es)

Class 3 Subsidiary risk Ш Packing group **Environmental hazards** No. **ERG Code** 3L

Special precautions for user Not available.

Other information

Passenger and cargo

aircraft

Allowed.

Cargo aircraft only Allowed.

IMDG

UN1170 **UN** number

UN proper shipping name

Ethanol Solution (Ethanol)

Transport hazard class(es) Class

3 Subsidiary risk Ш Packing group

Environmental hazards

Marine pollutant No. F-E, S-D **EmS** Special precautions for user Not available. Not available.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

DOT



IATA; IMDG



15. Regulatory information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US** federal regulations

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Ethanol (CAS 64-17-5) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

> Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

Ethanol (CAS 64-17-5)

US. New Jersey Worker and Community Right-to-Know Act

Ethanol (CAS 64-17-5)

US. Pennsylvania Worker and Community Right-to-Know Law

Ethanol (CAS 64-17-5)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Ethanol (CAS 64-17-5) Listed: April 29, 2011

Listed: July 1, 1988

US - California Proposition 65 - CRT: Listed date/Developmental toxin

Ethanol (CAS 64-17-5) Listed: October 1, 1987

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes

Country(s) or region Inventory name On inventory (yes/no)*

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 01-29-2015

Version # 01

Disclaimer Prepared by: ICC The Compliance Center Inc. 1-888-442-9628

http://www.thecompliancecenter.com

Disclaimer

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc. and expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed

knowledge and permission of ICC The Compliance Center Inc. and

Bibliography ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices (2014)

Canadian Centre for Occupational Health and Safety, CCInfoWeb Databases, 2014

(Chempendium, RTECs, HSDB, INCHEM)

European Chemicals Bureau, Existing Chemicals Work Area, EINECS Information System, 2014.

Material Safety Data Sheet from manufacturer.

OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2014.

Material name: Safetec® Sting Relief - Spray 2139 Version #: 01 Issue date: 01-29-2015