Page 1 of 4

1. IDENTIFICATION

PRODUCT NAME: TS QUAT DISINFECTANT

RECOMMENDED USE: DISINFECTANT CLEANER
RESTRICTIONS ON USE: IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. LABEL BRAND: ARRAY

SDS 200512711T

REORDER No. 703569

CODE 100964276

MEDICAL EMERGENCY:

GORDON FOOD SERVICE 1300 GEZON PARKWAY SW WYOMING, MI 49509 USA

1-866-923-4913 USA 1-800-451-8346 USA

SPILL EMERGENCY: 1-800-451-8346 USA
PRODUCT INFORMATION: 1-800-968-6474 USA (8 A.M. TO 5 P.M. EST MONDAY TO FRIDAY)

INTERNET ADDRESS:

2. HAZARD(S) IDENTIFICATION

CLASSIFICATION: EYE IRRITATION (CATEGORY 2B)

LABEL ELEMENTS SIGNAL WORD: WARNING

PICTOGRAMS: NONE
HAZARD STATEMENTS: CAUSES EYE IRRITATION.
PRECAUTIONARY STATEMENTS: Avoid contact with eyes, skin, and clothing. Wash hands and

PRECAUTIONARY STATEMENTS: Avoid delitect with eyes, sail, and defining affected areas thoroughly after harding.

FIRST AID: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye intetion persists, get medical attention.

IF ON SKIN: Weath with plenty of water. If skin irritation occurs and persists, get medical attention.

EMERGENCY TELEPHONE: 1-866-923-4913

KEEP OUT OF REACH OF CHILDREN. FOR COMMERCIAL AND INDUSTRIAL USE ONLY. HAZARDS NOT OTHERWISE CLASSIFIED: Not applicable.

COMPOSITION / INFORMATION ON INGREDIENTS

3. COMPOSITION / IN CHARACTER ST. III		
HAZARDOUS INGREDIENT(S)	CAS#	WEIGHT %
DIETHYLENE GLYCOL BUTYL ETHER n-ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE n-ALKYL DIMETHYL ETHYLBENZYL AMMONIUM CHLORIDE	112-34-5 68391-01-5 68956-79-6	8.000 0.105 0.105

STATE RIGHT TO KNOW: EPA EXEMPT MIXTURE

TB QUAT DISINFECTANT

SDS 200512711T

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS: n-ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE = NONE
n-ALKYL DIMETHYL ETHYLBENZYL AMMONIUM CHLORIDE = NONE
DIETHYLENE GLYCOL BUTYL ETHER = 10 ppm TWA INHALABLE FRACTION AND VAPOR
ENGINEERING CONTROLS: GENERAL ROOM VENTILATION IS TYPICALLY ADEQUATE.

PERSONAL PROTECTION
EYES: PROTECTIVE EQUIPMENT NOT REQUIRED,
HANDS: PROTECTIVE EQUIPMENT NOT REQUIRED.
RESPIRATORY: PROTECTIVE EQUIPMENT NOT REQUIRED.
FEET: PROTECTIVE EQUIPMENT NOT REQUIRED.
BODY: PROTECTIVE EQUIPMENT NOT REQUIRED.

HYGIENE MEASURES: HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: PALE YELLOW LIQUID ODOR: LEMON ph CONCENTRATE: ABOVE 11.5 PH @ 2600 PPM SOLUTION: N.AV.
PH @ USE DILUTION: N.AV.
PHYSICAL STATE: LIQUID
RELATIVE DENSITY (WATER): 1.011 SOLUBILITY (WATER): COMPLETE VAPOR PRESSURE: N.AV.

VAPOR DENSITY: N. AV.

VISCOSITY: NON-VISCOUS

AUTO-IGNITION TEMPERATURE: N.AV.
DECOMPOSITION TEMPERATURE: N.AV.
EXPLOSIVE LIMITS (LEL/UEL): NONE
EVAPORATION RATE: N.AV. FLAMMABILITY (SOLID, GAS): N.AP.
FLASH POINT: NONE
INITIAL BOILING POINT/RANGE: N.AV.
MELTING POINT/FREEZING POINT: N.AV. ODOR THRESHOLD: N.AV.
PARTITION COEFF. (N-OCTANOL/WATER): N.AV. OTHER: N.AV.

10. STABILITY AND REACTIVITY

REACTIVITY: NO HAZARD.
CHEMICAL STABILITY: STABLE.
POSSIBILITY OF HAZARDOUS REACTIONS: NONE KNOWN, WILL NOT POLYMERIZE.
CONDITIONS TO AVOID: TEMPERATURES BELOW 35°F (1.6°C) OR ABOVE 120°F (49°C).
MATERIALS TO AVOID: DIRECT MIXING WITH OTHER CHEMICALS. MIX ONLY WITH WATER. HAZARDOUS DECOMPOSITION PRODUCTS: NONE UNDER NORMAL CONDITIONS

11. TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE: EYES, SKIN, INGESTION, INHALATION.
INFORMATION ON ROUTES OF EXPOSURE: NO LC50 TEST DATA ON MIXTURE.
ACUTE EFFECTS /SYMPTOMS

ACUTE EFFECTS /SYMPTOMS
EYES: CAUSES EYE IRRITATION. MAY CAUSE DISCOMFORT, REDNESS AND WATERING.
SKIN: MAY BE MILDLY IRRITATING TO SENSITIVE SKIN. MAY CAUSE DRY SKIN.
INGESTION: MAY CAUSE IRRITATION, NAUSEA, VOMITING AND DIARRHEA.
INHALATION: NONE KNOWN.
CHRONIC / OTHER EFFECTS: NO REPORTABLE GERM CELL MUTAGENS, SKIN SENSITIZERS,
RESPIRATORY SENSITIZERS, REPRODUCTIVE TOXINS OR ASPIRATION HAZARDS.
SPECIFIC TARGET ORGANS (SINGLE/REPEATED): NONE KNOWN.
NUMERICAL MEASURES OF TOXICITY: ACUTE ORAL LD50 (RAT) = ABOVE 5000 MG / KG
CARCINOGENS: NO REPORTABLE ACGIH, IARC, NTP, OR OSHA CARCINOGENS.

4. FIRST-AID MEASURES

IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING, IF EYE IRRITATION PERSISTS, GET MEDICAL ATTENTION.

IF ON SKIN: WASH WITH PLENTY OF WATER. IF SKIN IRRITATION OCCURS AND PERSISTS,

GET MEDICAL ATTENTION.

IF SWALLOWED: RINSE MOUTH, IF CONSCIOUS, DILUTE BY DRINKING UP TO A CUPFUL OF MILK OR WATER AS TOLERATED.

WILL O'R YMAIER AS TOLEMATED. IF INHALED: NO SPECIFIC FIRST AID MEASURES ARE REQUIRED. EMERGENCY TELEPHONE: 1-866-923-4913

MOST IMPORTANT SYMPTOMS / EFFECTS: CAUSES EYE IRRITATION.

MEDICAL CONDITIONS AGGRAVATED: NONE KNOWN.

NOTE TO PHYSICIAN: CALL 1-866-923-4913 FOR EXPOSURE MANAGEMENT ASSISTANCE.

5. FIRE-FIGHTING MEASURES

CHEMICAL HAZARDS: EYE IRRITATION, NON-FLAMMABLE, COMBUSTION PRODUCT HAZARDS: OXIDES OF CARBON AND OTHER FUMES COMBUSTION PRODUCT HAZARDS: OXIDES OF CARBON AND OTHER FUMES.
METHODS: SELECT EXTINGUISHER AND METHODS BASED ON FIRE SIZE AND TYPE.
EQUIPMENT: WEAR SCBA AND FULL PROTECTIVE GEAR AS CONDITIONS WARRANT.
NFPA RATING: HEALTH-2/FLAMMABILITY-0/ INSTABILITY-0/SPECIAL HAZARD-N.AP.
SUITABLE EXTINGUISHERS: WATER, DRY CHEMICAL, CO2 OR FOAM SUITABLE FOR FIRE. UNSUITABLE EXTINGUISHERS: NO RESTRICTIONS BASED ON CHEMICAL HAZARDS

6. ACCIDENTAL RELEASE MEASURES

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: EVACUATE UNPROTECTED PERSONNEL FROM AREA.
PROTECTIVE FOOTWEAR RECOMMENDED. VENTILATE AREA IF NEEDED.
BE CAREFUL NOT TO SLIP. WASH THOROUGHLY AFTER CLEAN-UP.
ENVIRONMENTAL PRECAUTIONS: PREVENT SPILL FROM ENTERING DRAIN, STORM
SEWER OR SURFACE WATERWAY. PREVENT WATER AND SOIL CONTAMINATION.
CLEAN-UP METHODS: SMALL SPILLS MAY BE WIPED UP AND RINSED WITH WATER.
FOR LARGER SPILLS, DIKE TO CONTAIN. PUMP TO LABELED CONTAINER OR ABSORB
SPILLAGE AND SCOOP UP WITH INERT ABSORBENT MATERIAL. AFTER SPILL COLLECTION,
RINSE AREA WITH WATER AND FOLLOW WITH NORMAL CLEAN-UP PROCEDURES.

7. HANDLING AND STORAGE

7. HANDLING AND STORAGE

HANDLING: FOLLOW ALL LABEL DIRECTIONS. INSTRUCT PERSONNEL ABOUT PROPER USE, HAZARDS, PRECAUTIONS, AND FIRST AID MEASURES. AVOID CONTACT WITH EYES, SKIN AND CLOTHING. TAKE OFF CONTAMINATED CLOTHING AND WASH IT BEFORE REUSE. DO NOT TASTE OR SWALLOW. PRODUCT RESIDUE MAY REMAIN ON OR IN EMPTY CONTAINERS. HANDLE CAREFULLY TO AVOID DAMAGING CONTAINER. STORAGE: KEEP CONTAINER CLOSED WHEN NOT IN USE. STORAGE AT AMBIENT TEMPERATURES IN A DRY AREA OUT OF DIRECT SUNLIGHT. PROTECT FROM FREEZING. ROTATE STOCK REGULARLY. KEEP AWAY FROM FOOD AND DRINK. KEEP OUT OF REACH OF CHILDREN. OF CHILDREN.

TRIQUAT DISINFECTANT

SDS 200512711T

12. ECOLOGICAL INFORMATION

Page 4 of 4

ECOTOXICITY / CHEMICAL PATE: NOT AVAILABLE

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: DISPOSE OF CONTENTS IN ACCORDANCE WITH ALL FEDERAL, STATE, AND LOCAL APPLICABLE LAWS AND REGULATIONS.
STORAGE AND DISPOSAL: DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE

PESTICIDE STORAGE - Store in a dry place no lower in temperature than 50°F or higher than 120°F. PESTICIDE STORAGE - Store in a dry place no lower in temperature than 50°F or higher than 120°F
PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous, Improper disposal of excess
pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed
of by use according to label instructions, contact your State Pesticide or Environmental Control
Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for gludance.
CONTAINER DISPOSAL - Nonrefillable container. Do not reuse or refill container. Claun container
promptly after emplying. Triple innse as follows: fill container ¼ full with water and recap. Agitate
vigorously. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the
flow begins to drip. Repeat procedure two more times. Offer for recycling or reconditioning, if
available. If not available, condure and dispose in a sanitary landfilli. available. If not available, puncture and dispose in a sanitary landfill.

14. TRANSPORT INFORMATION

DOT / IMDG / IATA / TDG: NOT REGULATED

15. REGULATORY INFORMATION

EPA REGISTERED: YES (70827-2-45133) This chemical is a pesticide product registered by the environmental protection agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required pessione law. Triess requirements direct from the classification of the art of lateral and reason information agreed for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

OSHA HAZARDOUS: YES

PHOSPHORUS CONTENT: 0.00% PROPOSITION 66: NO

SARA 311/312 HAZARDS: EYE IRRITATION SARA 313 CHEMICALS: DIETHYLENE GLYCOL BUTYL ETHER

STATE RIGHT TO KNOW: EPA EXEMPT TSCA INVENTORY STATUS: ALL COMPONENTS ARE LISTED ON THE INVENTORY. VOC: 0.013% CALCULATION METHOD USED IS BASED ON CALIFORNIA ARB STANDARD.

16. OTHER INFORMATION
PREPARATION DATE: 6-26-19 PREPARED BY: RC ABBREVIATIONS: N.AV. = NOT AVAILABLE RAP. REVISED SECTION: 8 N.AP. = NOT APPLICABLE

NOTICE TO READER
THIS DOCUMENT HAS BEEN PREPARED USING DATA FROM SOURCES CONSIDERED TECHNICALLY
RELIABLE. IT DOES NOT CONSTITUTE A WARRANTY, EXPRESS OR IMPLIED, AS TO THE ACCURACY
OF THE INFORMATION CONTAINED WITHIN. ACTUAL CONDITIONS OF USE AND HANDLING ARE
BEYOND SELLER'S CONTROL. USER IS RESPONSIBLE FOR EVALUATING ALL AVAILABLE
INFORMATION WHEN USING PRODUCT FOR ANY PARTICULAR USE AND TO COMPLY WITH ALL
FEDERAL, STATE, PROVINCIAL AND LOCAL LAWS AND REGULATIONS.

TB QUAT DISINFECTANT EPA REG. NO. 70627-2-45133

This product is designed specifically as a general non-acid cleaner and disinfectant for use in hospitals, nursing homes, and hotels. It is formulated to disinfect hard non-porous environmental surfaces such as walls, sink tops, tables, chairs, telephones, glazed ceramic tile in bathrooms, shower stalls, bathtubs, and cabinets. May be used in the kitchen on counters, sinks, appliances, and stovetops. A rinse with potable water is required for surfaces in direct contact with food. Do not use on eating utensils, plates or glasses.

When used as directed, this product is highly effective against a wide variety of pathogenic microorganisms including bacteria, antibiotic resistant bacteria, viruses, fungl, mold and mildew.

Using approved AOAC test methods under Good Laboratory Practices, [GLP's], in the presence of 10% serum load and 3 minute contact time (unless otherwise noted); this product kills the following on hard

non-porous inanimate environmental surfaces:

non-porous manumate environmental surraces:

Bactericidal Activity: Pseudomonas aeruginose (ATCC 15442), Stephylococcus aureus (ATCC 6538), Salmonella enterica (ATCC 10708), Acinetobacter calcoaceticus (ATCC 23055), Burkholderia cepacia (ATCC 25416),

Bactericidal Activity: Pseudomonas aeruginose (ATCC 15442), Stephylococcus aureus (ATCC 6872), Campylobacter fetus (ATCC 27374), Campylobacter jejuni (ATCC 29428), Citrobacter freundii (ATCC 8090), Enterobacter aerogenes formerly known as Pseudomonas cepacia, Brevibacterium ammoniagenes (ATCC 1672), Campylobacter fetus (ATCC 27374), Campylobacter jejuni (ATCC 29428), Citrobacter freundii (ATCC 8090), Enterobacter aerogenes (ATCC 1943), Inferrobacter agglomerans (ATCC 27155), Enterococcus faecalis (ATCC 1943), formerly known as Streptococcus hirae (ATCC 10541), Escherichia coli (ATCC 10541), Inferrobacter agglomerans (ATCC 10541), Inferrobacter agglomerans (ATCC 10541), Inferrobacter aerogenes (ATCC 10541), Inferrobacter agglomerans (ATCC 10541), Inferrobacter aerogenes (ATCC 10541), Inferrobacte (ATCC 13048), Enterobacter agglomerans (ATCC 27155), Enterococcus faecalis (ATCC 19433), formerly known as Streptococcus faecalis, Enterococcus hirae (ATCC 10541), Escherichia coli (ATCC 11229), Escherichia coli (ATCC 13883), Hamophilus influenza (ATCC 10211), Klebsiella pneumonia (ATCC 13883), Legionella pneumophila (ATCC 33153), Listeria monocytogenes (ATCC 15313), Micrococcus luteus (ATCC 4698), Morganella morganii (ATCC 25830), Neisseria gonomhea (ATCC 43069), Pasteurella multocida (ATCC 43137), Proteus mirabilis (ATCC 33583), Proteus vulgaris (ATCC 13315), Pseudomonas fluorescens (ATCC 13525), Salmonella enteritidis (ATCC 4931), Salmonella schottmuelleri (ATCC 10719), Salmonella typhi (ATCC 6539), Serratia liquefaciens (ATCC 35551), Shigella dysenteriae (ATCC 13313), Shigella flexneri (ATCC 9380), Streptococcus pyogenes (Necrotizing Fasciitis) - Group A), (clinical isolate) Vibrio cholera (ATCC 11623), Versinia enteroclitica (ATCC 23715).

Antibiotic-Resistant Bactericidal Activity: Enterococcus faecalis (ATCC 51299, (Resistant to Vancomycin [VRE]), Staphylococcus epidermidis (ATCC 51625); (Resistant to Methicillin [MRSE]), Streptococcus aureus (ATCC 33591) (Resistant to Methicillin [MRSA]), Community Associated Methicillin Resistant Staphylococcus aureus (CA-MRSA), (NRS 123) Genotype USA400, Community Associated Methicillin Resistant Staphylococcus aureus (CA-MRSA), (NRS 123) Genotype USA400, Community Associated Methicillin Resistant Staphylococcus aureus (CA-MRSA), (NRS 123) Genotype USA400, Community Associated Methicillin Resistant Staphylococcus aureus (CA-MRSA), (NRS 123) Genotype USA400, Community Associated Methicillin Resistant Staphylococcus aureus (CA-MRSA), (NRS 123) Genotype USA400, Community Associated Methicillin Resistant Staphylococcus aureus (CA-MRSA), (NRS 123) Genotype USA400, Community Associated Methicillin Resistant Staphylococcus aureus (CA-MRSA), (NRS 123) Genotype USA400, Community Associated Methicillin Resistant Staphylococcus aureus (CA-MRSA), (NRS 123) Genotype USA400, Commun

* Virucidal Activity: *Adenovirus Type 2, (VR-846), *Influenza Virus Type 4, (VR-192), *Rotavirus, *Vrespiratory syncytial virus, (VR-26), *Herpes Simplex Virus Type 1, (VR-733), *Poliovirus Type 39, (VR-340).

**Wirucidal Activity: *Adenovirus Type 2, (VR-846), *Influenza Virus Type 4, (VR-192), *Rotavirus, *VR-26), *Herpes Simplex Virus Type 7, (VR-734), *Rhinovirus Type 39, (VR-340).

Kills Norwalk virus and Feline Calicivirus when used as directed on hard, non-porous inanimate surfaces with a 30 second contact time.

Kills *Hepatitis B Virus (HBV), *Hepatitis C Virus (HCV) and *HIV-1 (AIDS virus) (HTLV-Ille) when used as directed on hard, non-porcus inanimate surfaces with a 1 minute contact time.

Kills *Human Coronavirus, (VR-740) when used as directed on hard, non-porous inanimate surfaces with a 2 minute contact time.

Kills *Hepatitis A Virus (HAV) when used as directed on hard, non-porous inanimate surfaces with a 10 minute contact time.

*Kills Pandemic 2009 H1N1 Influenza A virus.

Veterinary *viruses: *Avian influenza Virus, (VR-2072), *Feline panleukopenia Virus, (VR-648), *Pseudorables Virus, (VR-135), *Canine parvovirus, (VR-2017).

Fungi/Yeast Activity: Aspergillus niger (ATCC 16404), Candida albicans (ATCC 18804), Trichophyton mentagrophytes(ATCC 9533).

Tuberculocidal Activity – This product exhibits disinfectant efficacy against Mycobacterium tuberculosis (BCG) in 5 minutes at 20° C when used as directed on previously cleaned hard non-porous environmental surfaces. Funglcidal Activity - This product is fungicidal against the pathogenic fungi, Trichophyton mentagrophytes (the fungus which causes Athlete's Foot Fungus) in 3 minutes when used as directed on hard surfaces found in bathrooms, shower stalls, locker rooms, or other clean, non-porous, hard surfaces commonly contacted by bare feet.

Mold/Mildew Mildewstatic Activity - controls and prevents the growth of mold and mildew: Aspergillus niger (ATCC 6275).

Non-Food Contact Surface Sanitizer for hard non-porous surfaces – effective against Enterobacter aerogenes (ATCC 15038) and Staphylococcus aureus (ATCC 6538) in 30 seconds.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Disinfection, Deodorizing and Cleaning - Remove gross filth or heavy soil prior to application of the product. Hold container six to eight inches from surface to be treated. Spray area until it is covered with the solution. Allow product to saturate the surface and remain wet for 3 minutes. For Hepatitis A Virus, let surface remain wet for 10 minutes. Wipe off with a clean cloth, mop or sponge. A rinse with potable water is required for surfaces in direct contact with food. This product must not be used to disinfect or clean utensils, glassware and dishes.

To Use as a Tuberculocide: Remove gross filth or heavy soil prior to application of the product. Hold container six to eight inches from surface to be treated. Spray area until it is covered with the solution. Allow product to

To kill Norwalk virus and Feline Calicivirus: Remove gross filth or heavy soil prior to application of the product. Hold container six to eight inches from surface to be treated. Spray area until it is covered with the solution.

To kill Norwalk virus and Feline Calicivirus: Remove gross filth or heavy soil prior to application of the product. Hold container six to eight inches from surface to be treated. Spray area until it is covered with fined. This product must not be used. Allow product to saturate the surface and remain wet for 30 seconds. Wipe off with a clean cloth, mop or sponge. A rinse with potable water is required for surfaces in direct contact with food. This product must not be used to disinfect or clean utensils, glassware and dishes.

To Sanitize Non-Food Contact Surfaces:

- Remove gross fifth or heavy soil prior to sanitization.
- Apply this product until thoroughly wet.
- Let stand 30 seconds.
- Then wipe.
 - Not for use on food contact surfaces or on food preparation areas.

- Pre-clean heavily soiled areas.
- Apply this product to hard, non-porous inanimate surfaces. 2.
- Allow surface to remain wet for three (3) minutes.
- Wipe surfaces and let air dry.

For Use in Treatment of Animal Housing Facilities:

- Remove all animals and feed from areas being treated.
 - Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes, and other facilities occupied or traversed by animals.
- Empty or cover all troughs, racks and other feeding and watering appliances.
- Apply fresh use solution to floors, walls, cages and other washable hard, non-porous environmental surfaces. For smaller surfaces, use a trigger spray bottle to spray all surfaces with solution until wet. To disinfect, Thoroughly clean all surfaces with soap or detergent and rinse with water.
- Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure.

Do not house animals or employ equipment until product has dried.

For disinfection of feed racks, troughs, automatic feeders, fountains and watering appliances scrub with use-solution, let stand ten minutes. Then thoroughly scrub all treated surfaces with soap or detergent and rinse

*This product kills HBV, HCV and HIV-1 in one minute on pre-cleaned inanimate surfaces/objects previously solled with blood/body fluids in health care settings (Hospitals, Nursing Homes) and other settings in which there is an expected likelihood of solling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be solled with blood or body fluids can be associated with the potential for transmission of Hepatitis B Virus, Hepatitis C Virus and Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HBV, HCV and HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Disposable latex or vinyl gloves, gowns, face masks, and eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures. Cleaning Procedures: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of this product. Contact Time: Allow surface to remain wet for 1 minutes to kill HBV, HCV and HIV-1. For other organisms allow surface to remain wet for 3 minutes, 5 minutes for Mycobacterium tuberculosis (BCG) and 10 minutes for HAV. Disposal of Infectious Material: Blood and other body fluids must be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal.

SKU# 100964276

(17/076)