

# **Safety Data Sheet**

Revision Date Dec-13-2016

OSHA format Revision Number 0

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	
Product name	Alkalinity Titration B
Other means of identification	
Product Code(s)	4493
Recommended use of the chemical	and restrictions on use
Recommended Use	Use as a laboratory reagent. Laboratory chemicals. Industrial (not for food or food contact
	use).
Details of the supplier of the safety	data sheet
	Manufacturer Address
	LaMotte Company, Inc.
	802 Washington Avenue
	P.O. Box 329
	Chestertown, MD 21620 USA
	T 410-778-3100
	F 410-778-9748
Emergency telephone numbers	
(CHEM-TEL):USA, Canada, Puerto Ri	co 1-800-255-3924 Outside North American Continent (Call collect) 813-248-0585

# 2. HAZARDS IDENTIFICATION

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

# EMERGENCY OVERVIEW

EMERGENCY OVERVIEW		
DANGER		
Hazard statements Causes severe skin burns and eye damage.		
Appearance Clear, colorless	Physical state liquid	Odor Odorless

#### **Precautionary Statements - Prevention**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not taste or swallow. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling.

**Response:** Immediately call a poison center or physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF SWALLOWED:. Rinse mouth. Do NOT induce vomiting.

#### Storage:

Store locked up. **Disposal:** Dispose of contents/container to an approved waste disposal plant.

# **3. COMPOSITION/INFORMATION ON INGREDIENTS\***

Chemical name	CAS No.	Weight-%
Sulfuric acid	7664-93-9	0.1

# **4. FIRST AID MEASURES**

#### First Aid Measures

General advice	Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapors/spray.	
Eye contact	Immediately flush eyes with gentle stream of water for at least 15 minutes, occasionally lifting upper and lower eyelids. Call a physician immediately.	
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Take off contaminated clothing and wash before reuse. If symptoms persist, call a physician. Excess acid on skin can be neutralized with a 2% solution of sodium bicarbonate in water.	

Inhalation	Remove to fresh air. If breathing is difficult, give oxygen.
Ingestion	Do NOT induce vomiting. Drink plenty of water. Call a physician immediately.
Self-protection of the first aider	Use personal protective equipment. See section 8 for more information. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

# **5. FIREFIGHTING MEASURES**

#### Suitable extinguishing media

Dry chemical or CO<sub>2</sub>. DO NOT USE WATER.

#### Specific hazards arising from the chemical

Contact with most metals causes the formation of explosive and flammable hydrogen gas. React vigorously with water.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Avoid contact with skin, eyes, and inhalation of vapors. Use personal protective equipment. See section 8.
Environmental precautions	See Section 12 for additional Ecological Information. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
Methods and material for containme	ent and cleaning up
Methods for containment	Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).
Methods for cleaning up	Neutralize spill with alkaline material (sodium bicarbonate), being careful to prevent splattering, then containerize slurry and hold for later disposal. If local regulations permit, dilute slurry with water and rinse to drain with excess water. After cleaning, flush away traces with water.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Handling	Handle in accordance with good industrial hygiene and safety practice. Prevent contact with skin, eyes, and clothing. Do not taste or swallow. Do not eat, drink, or smoke when using this product.
Conditions for safe storage, includ	ing any incompatibilities
Storage:	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from incompatible materials such as cyanides or sulfides. Store away from strong bases or

metals. Do not store near combustible materials. Keep out of the reach of children. **Incompatible Products** 

# Water. Strong bases. Metals. Combustible materials. Cyanides. Sulfides. Formaldehyde.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Sulfuric acid	TWA: 0.2 mg/m <sup>3</sup> thoracic fraction	TWA: 1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup>	
7664-93-9		(vacated) TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	
Appropriate engineering contro	ls			
Engineering Measures	Ensure adequate ventilation, es	Ensure adequate ventilation, especially in confined areas.		
Individual protection measures,	such as personal protective equip	oment		
Eye/Face Protection	Wear safety glasses with side s	Wear safety glasses with side shields (or goggles).		
Skin and body protection	Wear protective gloves/clothing	Wear protective gloves/clothing.		
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.			
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Take off contaminated clothing and wash before reuse.			

9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Appearance	liquid Clear, colorless	Odor	Odorless
Property	Values	Remarks • Method	
pH Malting point (freezing point	No information available		
Melting point / freezing point Boiling point / boiling range	No information available		
Flash point	Not Applicable		
Evaporation rate	Not Applicable		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	No information available		
Vapor density	No information available		
Specific gravity	No information available		
Water solubility	No information available		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature	No information available		
Decomposition temperature	No information available		
Kinematic viscosity	No information available		
Dynamic viscosity	No information available		
Explosive properties	No information available		
Oxidizing properties	No information available		
Other Information			
Softening point	No information available		
Molecular weight	No information available		
VOC Content (%)	No information available		
Density	No information available		
Bulk density	No information available		
-			

# **10. STABILITY AND REACTIVITY**

Stability Hazardous Reactions	Stable under normal conditions of use and storage. Reacts violently with water. Contact with metals may evolve flammable hydrogen gas.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Excessive heat. Incompatible products. Direct sunlight.
Incompatible materials	Water. Strong bases. Metals. Combustible materials. Cyanides. Sulfides. Formaldehyde.

Hazardous decomposition products Hydrogen gas. Sulfur oxides (SOx).

# 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

#### **Component identification**

Chemical name	ATEmix (oral)	ATEmix (dermal)	Inhalation LC50
Sulfuric acid	= 2140 mg/kg (Rat)	Not Established	= 510 mg/m³ (Rat) 2 h
7664-93-9	· ·		

#### Information on toxicological effects

Chemical name	ACGIH	IARC	NTP	OSHA
Sulfuric acid	Not Established	Group 1	Known	Not Established
7664-93-9		-		
ACGIH (American Con	ference of Governmental Indu	strial Hygienists)		
A2 - Suspected Human	Carcinogen			
IARC (International Ag	ency for Research on Cancer)			
Group 1 - Carcinogenic	o Humans			
NTP (National Toxicold	gy Program)			
Known - Known Carcino	gen			
OSHA (Occupational S	afety and Health Administration	on of the US Department o	of Labor)	
X - Present	5	1		

# **12. ECOLOGICAL INFORMATION**

## Ecotoxicity

Chemical name	Toxicity to Algae	Toxicity to Fish	Daphnia Magna (Water Flea)
Sulfuric acid	Not Established	500: 96 h Brachydanio rerio mg/L	29: 24 h Daphnia magna mg/L
7664-93-9		LC50 static	EC50

#### Persistence and degradability

No information available.

# **Bioaccumulation/Accumulation**

When released into the soil, this material may leach into ground water. When released into the air, this material may be removed from the atmosphere to a moderate extent by wet or dry deposition.

Chemical name	Log Pow
Sulfuric acid	Not Established
7664-93-9	

# 13. DISPOSAL CONSIDERATIONS

Disposal Methods	Dispose according to federal, state, and local regulations. If permitted, neutralize reagent with sodium bicarbonate/sodium carbonate, add slurry to large volume of water to dilute, rinse to drain with excess water.
Contaminated packaging	Do not reuse empty containers.

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Sulfuric acid 7664-93-9	Not Established	-	Not Established	Not Established

Chemical name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Sulfuric acid 7664-93-9	Not Established	Not Established	Not Established	Not Established

Chemical name	California Hazardous Waste Status
Sulfuric acid	Toxic
7664-93-9	Corrosive

# 14. TRANSPORT INFORMATION

DOT	Not regulated
TDG	Not regulated
<u>MEX</u>	Not regulated
ICAO	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

## **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Sulfuric acid	1.0

**Physical and Chemical** 

Hazards W

7664-93-9   SARA 311/312 Hazard Categories   Acute health hazard Yes   Chronic Health Hazard No   Fire hazard No   Sudden release of pressure hazard No		
Acute health hazardYesChronic Health HazardNoFire hazardNo	7664-93-9	
Chronic Health HazardNoFire hazardNo	zard Categories	SARA 311/312 Hazard
Fire hazard No	hazard	Acute health haza
	h Hazard	Chronic Health Ha
Sudden release of pressure bazard		Fire hazard
Sudden release of pressure nazaru no	se of pressure hazard	Sudden release of
Reactive Hazard Yes	ard	Reactive Hazard

## CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric acid 7664-93-9	1000 lb	Not Established	Not Established	Х

## CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	RQ
Sulfuric acid	1000 lb	1000 lb	RQ 1000 lb final RQ
7664-93-9			RQ 454 kg final RQ

# US State Regulations

California Proposition 65 has classified "strong inorganic acid mists containing sulfuric acid" as a chemical known to the State of California to cause cancer. This classification applies only to occupational exposures to these mists generated during manufacturing processes which sulfuric acid is used or produced.

Chemical name	California Proposition 65
Sulfuric acid	Carcinogen
7664-93-9	

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sulfuric acid	Х	Х	Х
7664-93-9			

#### <u>CPSC (Consumer Product Safety Commission) - Specially Regulated Substances</u>

Chemical name	CPSC (Consumer Product Safety Commission) - Specially Regulated Substances			
Sulfuric acid 7664-93-9	Add POISON to label, 16 CFR 1500.129			
16. OTHER INFORMATION				

Instability 0

NFPA

Health hazard 1 Flammability 0

Flammability 0

Stability 1



Prepared by

Regulatory Affairs Department

#### Issuing Date Revision Date Reason for revision <u>Disclaimer</u>

Feb-16-2017 Dec-13-2016 SDS sections updated 2 6 7 11 13

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

#### End of Safety Data Sheet