

Issuing Date Mar-02-2015

Safety Data Sheet

Revision Date Jul-20-2015

OSHA format Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier **Product name**

Recommended Use

Sulfide Reagent A

Other means of identification	
Product Code(s)	4458
UN-No	1830

Recommended use of the chemical and restrictions on use

Laboratory chemicals. Industrial (not for food or food contact use). Use as a laboratory reagent.

Details of the supplier of the safety data sheet

Manufacturer Address

LaMotte Company, Inc. 802 Washington Avenue P.O. Box 329 Chestertown, MD 21620 USA T 410-778-3100 F 410-778-9748

Emergency telephone numbers

(CHEM-TEL):USA, Canada, Puerto Rico 1-800-255-3924 Outside North American Continent (Call collect) 813-248-0585

2. HAZARDS IDENTIFICATION


Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

EMERGENCY OVERVIEW

DANGER POISON

Hazard statements

Causes severe skin burns and eye damage.



Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not taste or swallow. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling.

Response: Immediately call a poison center or physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF SWALLOWED:. Rinse mouth. Do NOT induce vomiting.

Storage:

Store locked up. **Disposal:** Dispose of contents/container to an approved waste disposal plant.

Other Hazards

May be harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS*

Chemical name	CAS No.	Weight-%
Sulfuric acid	7664-93-9	67

4. FIRST AID MEASURES

First Aid Measures

General advice	Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapors/spray.
Eye contact	Immediately flush eyes with gentle stream of water for at least 15 minutes, occasionally lifting upper and lower eyelids. Call a physician immediately.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes while removing

Self-protection of the first aider	Use personal protective equipment. See section 8 for more information. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
Ingestion	Do NOT induce vomiting. Drink plenty of water. Clean mouth with water. Call a physician immediately. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and contact emergency personnel. Call a physician immediately.
	all contaminated clothing and shoes. Excess acid on skin can be neutralized with a 2% solution of sodium bicarbonate in water. Call a physician immediately.

5. FIREFIGHTING MEASURES

Suitable extinguishing media

Dry chemical, CO₂, or alcohol-resistant foam. Water reactive - Do not use water.

Specific hazards arising from the chemical

Contact with most metals causes the formation of explosive and flammable hydrogen gas. React vigorously with water.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Avoid contact with skin, eyes, and inhalation of vapors. Use personal protective equipment. See section 8.	
Environmental precautions	See Section 12 for additional Ecological Information.	
Methods and material for containm	ent and cleaning up	
Methods for containment	Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).	
Methods for cleaning up	Neutralize spill with alkaline material (sodium bicarbonate), being careful to prevent splattering, then containerize slurry and hold for later disposal. If local regulations permit, dilute slurry with water and rinse to drain with excess water. After cleaning, flush away traces with water.	
	7. HANDLING AND STORAGE	
Precautions for safe handling		
Handling	Handle in accordance with good industrial hygiene and safety practice. Prevent contact with skin, eyes, and clothing. Do not taste or swallow. Do not eat, drink, or smoke when using this product.	
Conditions for safe storage, includi	ing any incompatibilities	

Storage:	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from incompatible materials such as cyanides or sulfides. Store away from strong bases or metals. Do not store near combustible materials. Keep out of the reach of children.
Incompatible Products	Water. Strong bases. Metals. Combustible materials. Cyanides. Sulfides.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sulfuric acid	TWA: 0.2 mg/m ³ thoracic fraction	TWA: 1 mg/m ³	IDLH: 15 mg/m ³
7664-93-9		(vacated) TWA: 1 mg/m ³	TWA: 1 mg/m ³
Appropriate engineering controls	<u>8</u>		
Engineering Measures Ensure adequate ventilation, especially in confined areas.			
Individual protection measures,	such as personal protective equip	ment	
Eye/Face Protection	Wear safety glasses with side shields (or goggles). If splashes are likely to occur:. Face protection shield.		
Skin and body protection	Wear protective gloves/clothing. Gloves & Lab Coat. Chemical resistant protective sleeves. Repeated or prolonged contact:. Impervious clothing. Face protection shield. Apron.		
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.		
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Take off contaminated clothing and wash before reuse.		

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance	liquid Clear, colorless	Odor	Slight
Property	<u>Values</u>	Remarks • Method	
pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	<1 No information available No information available Not Applicable No information available No information available No information available No information available No information available ~1.40 No information available No information available		
Other Information			
Softening point Molecular weight	No information available No information available		

VOC Content (%) Density Bulk density

No information available No information available

No information available

10. STABILITY AND REACTIVITY

Stability Hazardous Reactions	Stable under normal conditions of use and storage. Reacts violently with water. Contact with metals may evolve flammable hydrogen gas. Substance is a strong oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Contact with oxidizable substances may cause extremely violent combustion.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Excessive heat. Incompatible products. Direct sunlight.
Incompatible materials	Water. Strong bases. Metals. Combustible materials. Cyanides. Sulfides.

Hazardous decomposition products Hydrogen gas. Sulfur oxides (SOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Component identification

Carcinogenicity

Chemical name	ATEmix (oral)	ATEmix (dermal)	Inhalation LC50
Sulfuric acid	= 2140 mg/kg (Rat)	Not Established	= 510 mg/m ³ (Rat) 2 h
7664-93-9			

Information on toxicological effects

IARC has classified "strong inorganic acid mists containing sulfuric acid" as a known human carcinogen, (IARC category 1). This classification applies only to occupational exposures to these mists. (Steel pickling / the manufacture of isopropyl alcohol by strong-acid process that uses sulfuric acid).

Chemical name	ACGIH	IARC	NTP	OSHA
Sulfuric acid 7664-93-9	Not Established	Group 1	Known	Not Established

 ACGIH (American Conference of Governmental Industrial Hygienists)

 A2 - Suspected Human Carcinogen

 IARC (International Agency for Research on Cancer)

 Group 1 - Carcinogenic to Humans

 NTP (National Toxicology Program)

 Known - Known Carcinogen

 OSHA (Occupational Safety and Health Administration of the US Department of Labor)

 X - Present

 Chronic toxicity

 Prolonged contact causes serious tissue damage.

 3,194.00 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Unknown Aquatic Toxicity 33 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Toxicity to Algae	Toxicity to Fish	Daphnia Magna (Water Flea)
Sulfuric acid	Not Established	500: 96 h Brachydanio rerio mg/L	29: 24 h Daphnia magna mg/L
7664-93-9		LC50 static	EC50

Persistence and degradability

No information available.

Bioaccumulation/Accumulation

When released into the soil, this material may leach into ground water. When released into the air, this material may be removed

from the atmosphere to a moderate extent by wet or dry deposition.

Chemical name	Log Pow
Sulfuric acid	Not Established
7664-93-9	

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose according to federal, state, and local regulations. If permitted, neutralize reagent with sodium bicarbonate/sodium carbonate, add slurry to large volume of water to dilute, rinse to drain with excess water.

Contaminated packaging

Do not reuse empty containers.

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Sulfuric acid	Not Established	-	Not Established	Not Established
7664-93-9				

Chemical name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Sulfuric acid 7664-93-9	Not Established	Not Established	Not Established	Not Established

Chemical name	California Hazardous Waste Status	
Sulfuric acid	Toxic	
7664-93-9	Corrosive	

14. TRANSPORT INFORMATION

DOT

21	
Proper shipping name	SULFURIC ACID WITH > 51% ACID
UN-No	1830
Hazard Class	8
Packing group	II
Reportable Quantity (RQ)	1000

IATA_ UN-No Hazard Class Packing group	1830 8 II
IMDG/IMO UN-No Hazard Class Packing group	1830 8 II

15. REGULATORY INFORMATION

International Inventories
TSCA
DSL/NDSL
EINECS/ELINCS
ENCS
IECSC
KECL

Complies Complies Complies

PICCS
AICS

Does not comply Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Sulfuric acid 7664-93-9	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	Yes

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

	Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
ſ	Sulfuric acid	1000 lb	Not Established	Not Established	Х
	7664-93-9				

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

	Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	RQ
Γ	Sulfuric acid	1000 lb	1000 lb	RQ 1000 lb final RQ
	7664-93-9			RQ 454 kg final RQ

US State Regulations

California Proposition 65 has classified "strong inorganic acid mists containing sulfuric acid" as a chemical known to the State of California to cause cancer. This classification applies only to occupational exposures to these mists generated during manufacturing processes which sulfuric acid is used or produced.

Chemical name		California Proposition 65	
	Sulfuric acid	Carcinogen	
	7664-93-9		

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sulfuric acid	Х	X	Х
7664-93-9			

CPSC (Consumer Product Safety Commission) - Specially Regulated Substances

Chemical name	CPSC (Consumer Product Safety Commission) - Specially Regulated Substances	
Sulfuric acid 7664-93-9	Add POISON to label, 16 CFR 1500.129	

16. OTHER INFORMATION							
<u>NFPA</u>	Health hazard 3	Flammability 0	Instability 1	Physical and Chemical Hazards W			
Health hazard 3	Flammability 0	Stability 2					
Health Hazard Fire Hazard Reactivity	3 0 2						
Prepared by Issuing Date Revision Date Reason for revision Disclaimer	Mar-02-2 Jul-20-2						

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet